HOWTO for UNIX/Linux "permission anomaly"

(C) 2006-2024 T.Birnthaler/H.Gottschalk <howtos(at)ostc.de> OSTC Open Source Training and Consulting GmbH http://www.ostc.de

\$Id: unix-rights-anomaly-eng-HOWTO.txt,v 1.20 2025/02/23 20:14:55 tsbirn Exp \$

This document describes the "permission anomaly" on UNIX/Linux systems. That means, whether some operations on files are allowed or not depends on the directory permissions the file is located in and some of them depend on the file permissions itself.

Table of Contents

1) Introduction


2) Permission needed for certain tasks

1) Introduction

The permission COMBINATION of a FILE and the DIRECTORY it is located in, decides what OPERATIONS are allowed on a file and which one's are not allowed.

- * FILE PERMISSIONS decide about the right to do operations on FILE CONTENT (e.g. read, copy, change, call as program)
- * DIRECTORY PERMISSIONS decide about the right to do operations on FILE NAME located in the directory (e.g. create, rename, move, delete)

The simple example of a FILE located in a DIRECTORY is used to illustrate these rules by showing the operations allowed in 2 different cases (A) + (B):



					NECE	SSARY
FILE OPERATION	COMMAND	ACCESSES	(A)	(B)	DIR	FILE
Read/Open Copy Overwrite/Save Edit = Change (Read + Write) Delete content Print content	more cp > Vi > lpr	Content Content Content Content Content Content	yes yes yes	yes (yes) yes yes yes yes	x x x	rw-
Touch (file there) Create hard link Create soft link Create (file miss) Rename Move Remove file	touch ln ln -s touch mv mv rm	Name/Inode Name/Inode Name Name Name Name Name	yes yes yes yes yes yes yes	yes (yes) (yes) 	x wx -wx -wx -wx -wx -wx	
Execute	+ ./FILE	⊦ Permissions		+ 	+ 	r–x

DIR = Directory FILE = File

(yes) = If target directory is a different one (with write permission!)

HINT: If a directory is not readable (permission "r" missing) a FILENAME to be accessed in it has to be known by heart (as a directory content listing via "ls" is impossible then)!

2) Permission needed for certain tasks

+	⊦ Command	+	⊦ FILE	+ REFER
<pre>+ Change into directory List directory content List file info (inode)</pre>	 cd ls ls -l			N N N M
<pre> Touch file (inode) Read/Open file Write/Save file (not create) Edit file (change) Copy file (from directory) Print file (inode)</pre>	touch more > FILE vi cp lpr	x x x x x		N M N C N C M N C N C N C
Copy file (into directory) Create file Rename file Move file Delete file	cp > FILE mv mv rm	- w x - w x - w x - w x - w x	r 	N C M N C M N N N
<pre> Execute binary program Execute shell script (A) Execute shell script (B) Create hard link to file Create soft link to file Use soft link to file</pre>	FILE FILE sh FILE ln ln -s	x x x - w x - w - x	x r - x r 	N C N C N C N M N N
Change owner Change owner group Change permissions Change attributes (date)	chown chgrp chmod touch	root owner owner owner	only	M M M M

REFER = N)ame, C)ontent, M)etadata

HINT: If a directory is not readable (permission "r" missing) a FILENAME to be accessed in it has to be known by heart (as a directory content listing via "ls" is impossible then)!